


**ANNAMACHARYA INSTITUTE OF TECHNOLOGY & SCIENCES**Utukur(P), C.K.Dinne (V & M),Kadapa Dist., AP

3.3.3 List of Books and chapters in edited volumes/ books published and papers published in national/ international conference proceedings during the assessment period

S.No	Name of the teacher	Title of the book/chapters / paper published	Title of the proceedings of the conference	Name of the publisher	National / International	Publication Year (Calendar year)	ISBN/ISSN number of the proceedings
1	Dr. P. Sri Chandana	Prospects and Challenges of Photocatalysis for Degradation and Mineralization of Antiviral Drugs	Proceedings of Nanostructured Photocatalysts, Elsevier	Elsevier	International	2021	ISBN: 978-0-12-823007-7
2	Dr.K.N.Shashikumar	Role of Nanomaterials: Enhancing the Adsorption Efficiency of Activated Carbon in Waste water Treatment	Proceedings of Clean Coal Technologies	Springer	International	2021	ISBN:978-3-030-68502-7
5	Dr. P. Sri Chandana	Iron oxide-based photocatalysts for hydrogen production and dye degradation under natural sunlight	Proceedings of TUBA world Conference on Energy Science and Technology: Book of Abstracts	Turkish Academy of Sciences	International	2021	ISBN: 978-605-2249-75-8
4	S.Shabana Banu	An Overview of Blockchain Technology in Microgrids	Proceedings of International E-Conference on Energy, Control,	Sree Vidyanikethan Engineering	International	2020	ISBN:978-81-949879-4-9


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES

			Computing and Electronic Systems	College, Tirupati			
5	O.Homa Kesav	An Efficient Approach for the Detection of Abnormalities in Different Cancerous Images Using TFD Techniques	Lecture Notes in Electrical Engineering	Springer	International	2020	ISBN:978-981-15-8221-9
6	M.S.Priyadarshini	Performance of Static VAR Compensator for changes in voltage due to sag and swell	Lecture Notes in Electrical Engineering book series	Springer	International	2019	ISBN:978-981-15-2255-0
7	Dr.T.Ravindra Reddy	Book on Engineering Physics	Text Book	Sri Krishna Hitech Publishing Company Pvt.Ltd.	National	2019	ISBN:978-93-89878-02-8
8	A.Maheswara Reddy, S.Saleem, Y.Aasrita	A 64-Bit Implementation of Parallel Prefix Adder with less Hardware Complexity	Proceedings of National Conference on Emerging trends in Information, Management, and Engineering Sciences	International Journal of Engineering Research	National	2019	ISSN: 2319-6890
9	A. Chandra Obula Reddy	Framework for Improved Dynamic Adaptive Question	Proceedings of International Conference on New Trends in Engineering &	GRT College of Engineering and Technology,	International	2018	ISBN: 978-1-5386-5629-7

Handwritten signature
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 516 003. (A.P.)


		Answering System	Technology.	Chennai			
10	Dr. P. Sri Chandana, N.Avinash Kumar Reddy	Self-cleaning surface-coat of micro-titanium dioxide on hardened cement mortar surfaces irradiated with sunlight	Proceedings of National Conference on Emerging trends in Information, Management, and Engineering Sciences	International Journal of Engineering and Techniques	National	2018	ISSN: 2395-1303
11	Dr.T.Ravindra Reddy	Book on Advanced Physics for Engineers	Text Book	Research India Publications	International	2018	ISBN:978-93-87374-21-8
12	A.Maheswara Reddy, S.Saleem, K.M.Haneef	14 Transistor Full Adder Circuit using 4 transistor XOR Gate and Transmission Gate	Proceedings of National Conference on Emerging trends in Information, Management, and Engineering Sciences	International Journal of Engineering and Techniques	National	2018	ISSN: 2395-1303
13	P.Anjaneya, O.Homa Kesav	Design and analysis of configurable Multipliers using Dual Quality 4:2 Compressors	Proceedings of National Conference on Emerging trends in Information, Management, and Engineering Sciences	International Journal of Engineering and Techniques	National	2018	ISSN: 2395-1303
14	O.Homa Kesav, P.Anjaneya	A Reconfigurable FIR Filter Architecture to Trade off Filter	Proceedings of National Conference on Emerging trends in Information,	International Journal of Engineering and Techniques	National	2018	ISSN: 2395-1303


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 RA - 516 003. (A.P.)

		Performance for Dynamic Power Consumption	Management, and Engineering Sciences				
15	Dr.K.N.Shashi Kumar and Dr.T.Ravindra Reddy	Book on Social Values & Ethics	Text Book	Research India publications	International	2017	ISBN:978-93-87374-08-9
16	Dr.K.V.Nageswara Reddy	Book on Engineering Mathematics Volume-II	Text Book	Scitech Publication Pvt.Ltd.	National	2017	ISBN:978-93-85983-29-0
17	Dr.T.Ravindra Reddy	The Hand Book of Environmental Studies	Text Book	Research India Publications	International	2016	ISBN:978-93-86138-26-2
18	Y.Nagaraja	A Survey on Wind Energy, Load and Price forecasting : (Forecasting Methods)	Proceedings of International Conference on Electrical, Electronics, and Optimization Techniques	IEEE	National	2016	ISBN: 978-1-4673-9939-5
19	S.Saleem, O.Homa Kesav	Systematic Design of High-Speed and Low-Power Domino Logic	Proceedings of National Conference on Emerging trends in Information, Digital and Embedded Systems	International Journal of Advanced Trends in Engineering, Science and Technology	National	2016	ISSN: 2456-1126

Annam
 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)

20	O.Homa Kesav, S.Saleem	Carry Select Adder using Common Boolean Logic	Proceedings of National Conference on Emerging trends in Information, Digital and Embedded Systems	International Journal of Advanced Trends in Engineering, Science and Technology	International	2016	ISSN: 2456- 1126
21	P Anjaneya, S.Saleem.	Adder Enhancement Techniques	Proceedings of National Conference on Emerging trends in Information, Digital and Embedded Systems	International Journal of Advanced Trends in Engineering, Science and Technology	International	2016	ISSN: 2456- 1126


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)


**ANNAMACHARYA INSTITUTE OF TECHNOLOGY & SCIENCES**Utukur(P), C.K.Dinne (V & M),Kadapa Dist., AP

3.3.3 Web-links for number of Books and chapters in edited volumes/ books published and papers published in national/ international conference proceedings during the assessment period


S.No	Title of the paper	Author	Department	Name	Year of publication	Web-links of research papers
1	Prospects and Challenges of Photocatalysis for Degradation and Mineralization of Antiviral Drugs	Dr. P. Sri Chandana	Civil	Book chapter	2021	https://doi.org/10.1016/B978-0-12-823007-7.00012-2
2	Role of Nanomaterials: Enhancing the Adsorption Efficiency of Activated Carbon in Waste water Treatment	Dr.K.N.Shashikumar	Humanities Sciences	Book chapter	2021	https://doi.org/10.1007/978-3-030-68502-7_9
3	Iron oxide-based photocatalysts for hydrogen production and dye degradation under natural sunlight	Dr. P. Sri Chandana	Civil	Book chapter	2021	http://www.tuba.gov.tr/files/yayinlar/Bildiri%20Kitaplar%C4%B1/TUBA-978-605-2249-75-8.pdf
4	An Overview of Blockchain Technology in Microgrids	S.Shabana Banu	EEE	Research paper	2020	https://www.svec.education/wp-content/uploads/2020/12/international-e-conference-on-energy-control-computing-and-electronic-systems-during-27th-29th-november-2020.pdf
5	An Efficient Approach for the Detection of Abnormalities in Different Cancerous Images Using TFD Techniques	O.Homa Kesav	ECE	Research paper	2020	https://www.springerprofessional.de/en/an-efficient-approach-for-the-detection-of-abnormalities-in-diff/18930508
6	Performance of Static VAR Compensator for changes in voltage due to sag and swell	M.S.Priyadarshini	EEE	Book chapter	2019	https://doi.org/10.1007/978-981-15-2256-7_22

Aravind
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
 Utukur (V&M),
 Kadapa (A.P.)

7	A 64-Bit Implementation of Parallel Prefix Adder with less Hardware Complexity	A.Maheswara Reddy, S.Saleem, Y.Aasrita	ECE	Research paper	2019	https://www.ijer.in/publication/v8/007.pdf
8	Self-cleaning surface-coat of micro-titanium dioxide on hardened cement mortar surfaces irradiated with sunlight	Dr. P. Sri Chandana, N.Avinash Kumar Reddy	Civil	Research paper	2018	http://www.ijetjournal.org/Special-Issues/NCETIMES/NCETIMES1.pdf
9	Book on Advanced Physics for Engineers	Dr.T.Ravindra Reddy	Humanities& Sciences	Book	2018	https://www.ripublication.com/our_books.htm
10	14 Transistor Full Adder Circuit using 4 transistor XOR Gate and Transmission Gate	A.Maheswara Reddy, S.Saleem, K.M.Haneef	ECE	Research paper	2018	http://www.ijetjournal.org/Special-Issues/NCETIMES/NCETIMES24.pdf
11	Design and analysis of configurable Multipliers using Dual Quality 4:2 Compressors	P.Anjaneya, O.Homa Kesav	ECE	Research paper	2018	http://www.ijetjournal.org/Special-Issues/NCETIMES/NCETIMES28.pdf
12	A Reconfigurable FIR Filter Architecture to Trade off Filter Performance for Dynamic Power Consumption	O.Homa Kesav, P.Anjaneya	ECE	Research paper	2018	http://www.ijetjournal.org/Special-Issues/NCETIMES/NCETIMES27.pdf
13	Book on Social Values & Ethics	Dr.K.N.Shashi Kumar and Dr.T.Ravindra Reddy	Humanities& Sciences	Book	2017	https://www.ripublication.com/our_books.htm
14	Book on Engineering Mathematics Volume-II	Dr.K.V.Nageswara Reddy	Humanities& Sciences	Book	2017	https://scitechpublications.com/shop/mathematics/engineering-mathematics-vol-ii-jntu-a/
15	The Hand Book of Environmental Studies	Dr.T.Ravindra Reddy	Humanities & Sciences	Book	2016	https://www.ripublication.com/our_books.htm


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)

16	A Survey on Wind Energy, Load and Price forecasting : (Forecasting Methods)	Y.Nagaraja	EEE	Research paper	2016	https://doi.org/10.1109/ICEEOT.2016.7754792
17	Systematic Design of High-Speed and Low-Power Domino Logic	S.Saleem, O.Homa Kesav	ECE	Research paper	2016	http://www.ijatest.org/wp-content/uploads/2017/01/15.Systematic-Design-of-High-Speed-and-Low-Power-Domino-Logic.pdf
18	Carry Select Adder using Common Boolean Logic	O.Homa Kesav, S.Saleem	ECE	Research paper	2016	http://www.ijatest.org/wp-content/uploads/2017/01/33.Carry-Select-Adder-Using-Common-Boolean-Logic.pdf
19	Adder Enhancement Techniques	P Anjaneya, S.Saleem.	ECE	Research paper	2016	http://www.ijatest.org/wp-content/uploads/2017/01/14.Adder-Enhancement-Techniques.pdf


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)

NANOSTRUCTURED PHOTOCATALYSTS

From Fundamental to Practical Applications

EDITED BY
VAN-HUY NGUYEN
DAI-VIET N. VO
SONIL NANDA



Aditya
PRINCIPAL
ANJANACHARYA INSTITUTE
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M)
KADAPA - 516 003



View PDF

Download full book

Nanostructured Photocatalysts

From Fundamental to Practical Applications

2021, Pages 489-517

Chapter 17 - Prospects and challenges of photocatalysis for degradation and mineralization of antiviral drugs

Lan-Anh Phan Thi ^{a, b}, Sri Chandana Panchangam ^c, Huu-Tuan Do ^d, Van-Huy Nguyen ^e

Show more ▾

☰ Outline | 🔗 Share 🗒 Cite

<https://doi.org/10.1016/B978-0-12-823007-7.00012-2>

Get rights and content

Abstract

Among the outbreak of influenza and other pandemics such as SARS-CoV-2 recently over the globe, antiviral drugs were significantly concerned with controlling the disease and these pandemics. They have been developed for seven decades around more than 90 drugs categorized licensed to treat nine human infectious diseases. Based on their functional group, antiviral compounds will mitigate infectivity and symptoms and reduce the illness period by arresting the viral replication cycle at different stages. Antiviral drugs have been developed complexly and met many biothreat challenges due to their high biosafety level requirement. In recent years, the spreading of novel virus strains that are a threat to human life, the development in researching a

Prospects and challenges of photocatalysis for degradation and mineralization of antiviral drugs

Lan-Anh Phan Thi^{a,b}, Sri Chandana Panchangam^c,
Huu-Tuan Do^d, and Van-Huy Nguyen^e

^aKey Laboratory of Analytical Technology for Environmental Quality and Food Safety Control, Vietnam National University—University of Science, Hanoi, Vietnam ^bCenter for Environmental Technology and Sustainable Development, Vietnam National University—University of Science, Hanoi, Vietnam ^cDepartment of Civil and Environmental Engineering, Annamacharya Institute of Technology and Sciences, Kadapa, AP, India ^dFaculty of Environmental Science, Vietnam National University—University of Science, Hanoi, Vietnam ^eKey Laboratory of Advanced Materials for Energy and Environmental Applications, Lac Hong University, Bien Hoa, Dong Nai, Vietnam

17.1 Introduction

Antiviral drugs are a specific class of medications used to treat a selective or broad spectrum of viral infections. Usually, viral infections resolve themselves if the virus that attacked humans is immune competent. However, incessantly, the world is witnessing the surge of viral infections ending up as either an epidemic or a pandemic. Among the outbreak of influenza and other pandemics such as SARS-CoV-2 recently over the globe, viral infections have been known as a significant reason for one group of death worldwide (Beck et al., 2020; Vahidnia et al., 2017). The development of antiviral drugs was significantly concerned with controlling the disease due to viral infections. In 1963, idoxuridine was recognized as the first antiviral compound by the US Food and Drug Administration (FDA) for the treatment of herpes simplex virus (HSV) keratitis (Weiner and Mason, 2019; Clercq, 2007; De Clercq and Li, 2016). Antiviral drugs were then developed to treat various viral infections, including influenza, HSV, hepatitis, human immunodeficiency virus (HIV), and coxsackievirus

Rajesh Kumar Jyothi • Pankaj Kumar Parhi
Editors


Clean Coal Technologies


Beneficiation, Utilization, Transport
Phenomena and Prospective

 Springer

Asad
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA - 516 003. (A.P.)

9	Role of Nanomaterials: Enhancing the Adsorption Efficiency of Activated Carbon in Wastewater Treatment	215
	Kiranmai Reddy Majji, Venkata Naga Suresh Reddy Kachireddy, Shashi Kumar Kuruva Nandyal, and Sreenivasa Rao Battula	
10	Adsorption of Metals Using Activated Carbon Derived from Coal ..	233
	Parag Girhe, Divya Barai, and Bharat Bhanvase	
11	Generation, Transportation and Utilization of Indian Coal Ash	267
	Ranjan Kumar Mohapatra, Pradeep Kumar Das, Dulal C. Kabiraz, Debadutta Das, Ajit Behera, and Md. Kudrat-E-Zahan	
12	Studies on Extraction of Heavy Metal (s) from Fly Ash through Hydroprocessing Approach	289
	Saroj Sekhar Behera, Surendra Hansdah, Debadutta Das, Pankaj Kumar Parhi, and Rajesh Kumar Jyothi	
13	Investigation on Extraction and Recovery of Rare Earth Elements from Coal Combustion Products	311
	Verónica Cristina Arellano Ruiz, Pankaj Kumar Parhi, Jin-Young Lee, and Rajesh Kumar Jyothi	
14	Recovery of Rare Earth and Some Other Potential Elements from Coal Fly Ash for Sustainable Future	339
	Harshit Mahandra, Brendan Hubert, and Ahmad Ghahreman	
15	Coal Fly Ash Utilisation and Environmental Impact	381
	Shanjida Sultana, Saifuddin Ahsan, Sakib Tanvir, Nawshad Haque, Firoz Alam, and Mohan Yellishetty	
16	Utilization of Circulating Fluidized Bed Combustion Fly Ash for Simultaneous Recovery of Rare Earth Elements and CO₂ Capture	403
	Quang Tuan Lai, Thriveni Thenepalli, and Ji Whan Ahn	
17	Developments in Characterization and Mineral Processing of Coal Fly Ash for Recovery of Rare Earth Elements	431
	Tumuluri Sreenivas, Md Serajuddin, Ramkaran Moudgil, and Kacham Anand Rao	
18	Coal Burn Ash: A Sustainable Future Resource for Critical Metals Production	473
	Manis Kumar Jha, Archana Kumari, Rekha Panda, Rukshana Parween, Sanchita Chakravarty, and Rajesh Kumar Jyothi	
19	Characterization and Utilization of Coal Ash for Synthesis of Building Materials	487
	Shaswat Kumar Das, Subhabrata Mishra, Debadutta Das, Syed Mohammed Mustakim, Cyriaque Rodrigue Kaze, and Pankaj Kumar Parhi	


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)



Role of Nanomaterials: Enhancing the Adsorption Efficiency of Activated Carbon in Wastewater Treatment

Clean Coal Technologies pp 215-232 | Cite as

- Kiranmai Reddy Majji (1)
- Venkata Naga Suresh Reddy Kachireddy (2) Email author (skachire@gitam.edu)
- Shashi Kumar Kuruva Nandyal (3)
- Sreenivasa Rao Battula (2)

1. Department of Environmental Science, GITAM Institute of Science, GITAM (Deemed to be University), , Vishakhapatnam, India
2. Department of Chemistry, GITAM Institute of Science, GITAM (Deemed to be University), , Vishakhapatnam, India
3. Department of Humanities & Sciences, Annamacharya Institute of Technology and Sciences, , Kadapa, India

Chapter

First Online: 11 May 2021

- 115 Downloads

Abstract

Water is a vital source for every living organism, and it is very much concerned that it is getting depleted in both surface and groundwater. In the present scenario, the waste from both point and non-point sources increases, thereby increasing pollutants' levels in the water. It is very much needed to this hour that the removal of pollutants with an efficient process could be cost-effective. Many processes have been used to remove

Proceedings of
International E-Conference on
Energy, Control, Computing and Electronic Systems




Organized by

**DEPARTMENT OF ELECTRICAL AND ELECTRONICS
ENGINEERING,
SREE VIDYANIKETHAN ENGINEERING COLLEGE,
SREE SAINATH NAGAR, TIRUPATI -517102**

Handwritten signature in green ink
**PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA - 516 003 (A.P.)**

15	222	Image transmission through Discrete Wavelet Transform based Orthogonal Frequency Division Multiplexing using Orthogonal Matching Pursuit	Ch.Gangadhar and Md. Habibulla	74
16	223	Load Flow Analysis of IEEE 14 Bus using Mi-Power	A.Sai Subhadra, G.Aravindh Sai and S.Koushik	77
17	224	Android Application Controlled Water Trash Bot Using Internet Of Things	S.Sri Hari, R. Rahul, Mr. H. Umesh Prabhu and Mr. V.Balasubramanian	81
18	225	A Three Layered Architecture for Energy Consumption Monitoring System	Dr. A.K. Damodaram, Prof. S. Sreenivasa Chakravarthi and Dr. Ch. Lakshmi Tulasi	86
19	229	An Efficient and Virtuous QoS Multicast protocol for MANET in Wireless Communications	Madaspushpalatha, M.Srinivasn and P.Ramadevi	90
20	230	Recent Decade Global Trends in Renewable Energy and Investments – A Review	A.K. Damodaram, S. SreenivasaChakravarthi and Ch. Lakshmi Tulasi	98
21	233	A Compact Square Notch Printed Antenna With Fractal DGS for Mobile Satellite Application	K Sudha1, HD Praveen and P Geetha3	106
22	234	An Overview of Blockchain Technology in Microgrids	S.Shabana Banu and M. S Sujatha	109
23	305	Optimaldispatch of reactive power using Improved Whale Optimization Algorithm for reducing active power losses in transmission network	K. Manikandan, P. NagaMurali Krishna and Shaik Mohammad Aquib	114
24	236	A Corresponding Study Of Machine Learning Classification Techniques For Anomaly Based Intrusion Detection System	N.Sai Lohitha	121
25	302	Design of 16x16 SRAM Array for Low Power Applications	Manoj Kumar R and Dr. P.V. Sridevi	124
26	335	Analysis and Implementation of Permanent Magnet Assists Switched Reluctance Flux Reversal Free	Prabhu Sundaramoorthy and Balaji Mahadevan	127
27	308	Enhancing Tool Life of Rotavator by Effective Design towards Improving Agricultural Productivity	Ankush D. Bhishnurkar, Dr. Ashok G. Matani	129
28	309	Analysis of blending methanol and multiwall carbon nanotubes in automobiles fuels towards pollution prevention	Dr. Ashok G. Matani and Ashish Mali	143
29	311	Comparison Between Symmetrical And Asymmetrical 13 Level Mli With	Sindhuja R and Dr. S. Padma	149


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)

An Overview of Blockchain Technology in Microgrids

S.Shabana Banu

Research Scholar

Discipline of Electrical Engineering

J.N.T.U Anantapur

Ananthapuramu, India

Dr.M.S.Sujatha

Professor and HOD

Department of EEE

Sree Vidyanikethan Engineering College

Tirupati, India

Abstract—With the decrement of reserves of fossil energy and the increasing capacity of renewable energy generation, the importance of micro grid based on distributed generations is expanding. Renewable energy sources have emerged as an alternative to meet the growing demand for energy and contribute to sustainable development. The integration of these systems is carried out in a distributed manner through micro grid systems, this provides a set of technical solutions that allows information exchange between the consumers and the distributed generation centers, which implies that they need to be managed optimally and it is highly demanding to secure a reliable balance between energy generation and consumption. To overcome such challenges, peer-to-peer energy trading using block chains on micro grid networks can play a vital role. This paper reviews the concept of existing proposed algorithm that can be useful for energy trading using block chain from both the prosumers and consumers. The outcome of this study proves that if implemented properly this technology would balance the supply and demand locally and also provides the socio-economic benefits to the prosumers and consumers.

Keywords—Blockchain Technology, Peer to Peer Trading, Proof - Of - Work, Proof -of - stake

I. INTRODUCTION

Renewable energy plays a vital role in meeting energy requirements in both rural and urban areas. The generation of renewable energy and its usage is given a high priority due to its advantages over conventional sources of energy. The necessity to focus on renewable energy based generation is due to the adverse environmental impacts of fossil-based generation. The demand for sustainable energy development is increasing rapidly. Broad usage of renewable energy is important for achieving sustainability in the energy sectors [1].

A micro grid is a combination of distributed energy resources and interconnected loads within clearly defined electrical boundaries that acts as a solitary controllable unit with respect to the grid. A micro grid connects and disconnects from the grid as per the requirement to enable operation in both grid-connected or island mode. With the increasing demand of electricity we cannot rely only on main grid but also need distributed energy sources such as PV solar generation, Wind turbine generation etc. to be connected to the main grid with the help of micro grid to increase the


stability as well the reliability of the whole power system. A micro grid can be illustrated as a cluster of loads, decentralized energy resources which are operated in coordination to supply and distribute electricity reliably [2, 3]. In order to facilitate the large number of costumers and prosumers to interact with each other, the decentralized renewable energy system has been placed into the power grid. For autonomous, peer-to-peer exchange, important tasks to be faced are security and control provided in a decentralized manner. Decentralized controlled power exchange system is one of the most challenging issues which balance the energy supply and demand [4]. The energy and information between systems are highly interconnected, and the transparency and security of data must be concerned with the basis of intelligent transactions. Traditional centralized production, distribution, and planning methods may experience significant changes in the era of new energies [5]. The expansion of decentralized renewable energy resources opened the door for a competitive peer to peer energy trading between small scale prosumers and end customers. Consequently, it is expected that peer to peer energy trading will be one of the most important aspect of next generation power systems. Energy trading brings various advantages to utility companies such as increasing the overall efficiency of the grid and reducing operation cost.[6].

There are many methods implemented to have the peer to peer electricity trading which are proposed in this paper. Peer-to-Peer (P2P) energy trading is a new approach of power system operation and control, where people can self generate energy from Renewable Energy Sources (RESs) in offices, factories and on roof tops and share it with each other locally. Blockchain is used as a distributed public ledger technology, which is been widely adopted in the design of new energy trading schemes. However, there are many challenging issues in blockchain-based energy trading, e.g., low efficiency, high transaction cost, and security and privacy issues. To tackle these challenges, many solutions have been proposed [7]. In this paper, the prospects of block chain used in microgrids in the improvement of solar power systems in a decentralized manner are proposed. With implementation of block chain technology for electricity transactions makes the micro grids more flexible by developing mutual trust between the participating agents in terms of electricity delivery and billing.

Venkata Lakshmi Narayana Komanapalli
N. Sivakumaran
Santoshkumar Hampannavar *Editors*

Advances in Automation, Signal Processing, Instrumentation, and Control

Select Proceedings of i-CASIC 2020

Aditya
Principal
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
G. K. Dinne (V&M),
KADAPA-516 003, (A.P.)
 Springer

An Efficient Approach for the Detection of Abnormalities in Different Cancerous Images Using TFD Techniques	3169
O. Homa Kesav and G. K. Rajini	
Comparative Analysis of Different Edge Detection Methodologies in Medical Imaging	3175
S. Jeevitha and N. Amutha Prabha	
Design and Analysis of a Higher Order Process by Employing Pspice Modelling	3185
C. Ganesh, R. Shanmugasundaram, A. Singaravelan, and B. Gunapriya	
Analysis of Breast Cancer Diagnosis and Prognosis Using Machine Learning Algorithms	3197
Sankardoss Varadhan, Nikhil Jeswani, Vaibhav Sajjani, and Prince Jaiswal	
High Performance Buffer with Body Biasing Technique	3213
Karthikeyan A. and P. S. Mallick	
Energy-Efficient and Emergency Dispatch System for Smart Street Lighting	3221
Puppala Rajendhar, J. Belwin Edward, and I. Jacob Raglend	
Performance Comparison of Transmit Antenna Selection Schemes for Quadrature Spatial Modulation	3235
S. Asha, Vishnu Vardhan Gudla, and Vinoth Babu Kumaravelu	
Eye Controlled Rover for Mapping the Environment	3247
Puppala Rajendhar, J. Belwin Edward, and Altaf Q. H. Badar	
A Review on Requirements for Data Communication and Information Technology Areas for Smart Grid	3259
Vikram Kulkarni, Venkata Lakshmi Narayana Komanapalli, and Sarat Kumar Sahoo	
Design of Polar Encoder and Decoder for Next-Generation Networks	3273
Aniket Sarkar, Chaitenaya Goel, Vinoth Babu Kumaravelu, and S. Asha	
Analysis of the Consumers' Satisfaction in Andhra Pradesh, Services Provided by Southern Power Distribution Company Limited	3285
Ramesh P., Ravi Sankar R. S., and Deepika K. K.	
Analysis of Quality, Installation of Power Supplied by APSPDCL to Urban and Rural Areas	3295
Ramesh P. and Ravi Sankar R. S.	
Discrete Taylor Transform and Inverse Transform	3311
Alireza Baghai-Wadji	

An Efficient Approach for the Detection of Abnormalities in Different Cancerous Images Using TFD Techniques



O. Homa Kesav and G. K. Rajini

Abstract Disease is the conspicuous wellspring of mortality in around the world. The malignant growth which is cancer arises because of unrestrained varieties in a cell. Stringent diagnosis of cancer with explicit procedure is a prerequisite for retaining human lives. The relevant image transforms such as STFT and WT utilize a detection system where the cancerous image features are retained and localize the signal characteristics in different domains. The predetection of malignant growth prompts proper conclusion to either control or fix disease, as at later stages the patient may not react to the treatment. The suspicious tissues are examined and diagnosed with the help of MRI. These filtered pictures can be used to evaluate the destructive cells. The TFD yields appropriate information in the study of non-stationary images. The key objective of TFD representation is to figure out the variations in the frequency substance of images with respect to time. The TFD representation is proposed by STFT and WT to analyze, evaluate and transform the time differing category of images.

Keywords Non-stationary · Time–frequency distribution · STFT · WT

1 Introduction

Malignant growth is depicted by the unusual development of cells in the body. By the aid of blood stream or lymphatic system, it is dispersed to the distinct parts of the body. Cancer is the predominant cause of death worldwide which leads to 8.9 million deaths in 2014 and 9.6 million deaths in 2018 stated by WHO [1]. The typical type of malignant growths causing these deaths is because of breast, thyroid and ovarian diseases.

O. Homa Kesav

Research scholar, School of Electronics Engineering, VIT Univeristy, Vellore, India

G. K. Rajini (✉)

Associate Professor, School of Electrical Engineering, VIT Univeristy, Vellore, India


e-mail: rajini.gk@vit.ac.in

© Springer Nature Singapore Pte Ltd. 2021

V. Komanapalli et al. (eds.), *Advances in Automation, Signal Processing, Instrumentation, and Control*, Lecture Notes in Electrical Engineering 700,
https://doi.org/10.1007/978-981-15-8221-9_295

3169

Annamacharya
 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)



TÜRKİYE BİLİMLER AKADEMİSİ
TURKISH ACADEMY OF SCIENCES

TUBA World Conference on Energy Science and Technology (TUBA WCEST-2021) 8-12 August 2021

🌐 <https://wcest.tuba.gov.tr>
✉ wcest@tuba.gov.tr

BOOK OF ABSTRACTS

Annamacharya
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA-516 003. (A.P.)

ISBN 978-605-2249-75-

DOI: 10.53478/TUBA.2021.01



Wednesday - August 11, 2021

Zoom Link 1

Keynote Session 10

Session Chair: Erkan Oterkus, UK

Keynote Talk 20

13:15 – 14:00 (GMT+3)

Bruce Rittmann

Arizona State University, USA

Moving from Treatment to Resource

Keynote Talk 21

14:00 – 14:45 (GMT+3)

Mohamed-Slim Alouini

King Abdullah University of Sciences and

Technology (KAUST), Saudi Arabia

Towards Sustainable and Environment-Aware

Wireless Networks

13:15
14:45
(GMT+3)

Zoom Link 2

Invited Session 7

Session Chair: Safa'a Riad, Egypt

Invited Talk 18

13:15 – 13:45 (GMT+3)

Ali Kindap

Zorlu Energy & Geothermal Energy Association, Turkey

Geothermal Energy in Turkey

Invited Talk 19

13:45 – 14:15 (GMT+3)

Alper Baba

Izmir Institute of Technology, Turkey

Importance of the Geothermal Resources and Its Innovative Properties: A Case Study: Turkey

Invited Talk 20

14:15 – 14:45 (GMT+3)

Arthur Weeber

TNO and Delft University of Technology, Netherlands

Trends and Future Aspects of PV Technology and its Applications

Zoom Link 3

General Session 12

Modeling & Simulation – I

Session Chair: Adnan Midilli, Turkey

#73 "A Sensitivity Study of N-Alkyl Partly Enclosed with Photovoltaic Thermal Compound Parabolic Concentrators Having Series Connection" **B.V. Patel**, R.K. Sharma, S. Tiwari, A. Raturi, D.B. Singh & N. Kumar

#22 "Analysis of Roof Thermal Performance with Innovative Technology" **N. Alchapar** & E. Correa

#26 "Causal Investigation of Energy Storage Technology Criteria by Applying a Novel Integrated Decision-Making Methodology" **A. Karasan** & **L. Kaya**

#35 "Hot Air Drying of Spherical Moist Objects in a 3D Rectangular Channel" **S. Özcan Çoban**, F. Selimefendioglu & H.F. Oztop

#117 "Design and Modeling of a Multigeneration System Driven by Waste Heat of a Marine Diesel Engine" **M.E. Demir** & F. Çitakoğlu

#131 "Exergetic Analysis of a New Hybrid Vehicle Operating with Carbon-Free Fuels" **M. Ezzat** & I. Dincer

14:45 - 15:00 (GMT+3)

Break

Wednesday - August 11, 2021

Zoom Link 1

Keynote Session 11

Session Chair: Arthur Weeber, Netherlands

Keynote Talk 22

15:00 – 15:45 (GMT+3)

Amar K. Mohanty

University of Guelph, Canada

Improved Utilization of Co-Products from Biofuel Industries in New Industrial Uses for a Sustainable Biorefinery

Keynote Talk 23

15:45 – 16:30 (GMT+3)

Victor C.M. Leung

The University of British Columbia, Canada

AIoT as a Service – Framework, Opportunities, and Challenges

15:00
16:30
(GMT+3)

Zoom Link 2

General Session 13

Sustainable Development - II

Session Chair: Tahir A.H. Rattlamwala, Pakistan

#127 "Comparative Sustainability Investigation of Hydrogen Production Methods" **C. Acar**

#10 "Testing Membranes for Separation of CO₂ From Small Molecules in Landfill Gas" **P. Ogunlode**, O. Abunimah, F. Muhammad-Sukki & E. Gobina

#128 "Hydrogen Refuelling Stations: State of the Art and Perspectives" **D. Marciuş**, **A. Kovač** & M. Paranos

#111 "Thermodynamic Assessment of a Power to Methane System Under Real-World Scenario" **A.C. Ince**, D. Saygan Temel, C.O. Colpan, A. Keleş, & M.F. Serincan

#87 "Suitability of Siderite as Oxygen Carrier in Chemical Looping Combustion" **M. Durmaz**, **N. Dilmac** & Ö.F. Dilmac

#125 "Improvement of Terminal Buildings' Environmental Performance by Renewable Energy" **A. Dalkiran**, O. Balli, M.Z. Söğüt & T.H. Karakoç

Zoom Link 3

General Session 14

Energy Materials,

Session Chair: Nader Javani, Turkey

#41 "Nanocellulose in Energy Applications: Current Status and Future Prospect" **M. Yildirim** & Z. Candan

#46 "Detection of Temperature Elevations in Encased Smartphones Due to Multitask Processes" **C. Ndubisi** & **H. Njoku**

#55 "Iron Oxide-Based Photocatalysts for Hydrogen Production and Dye Degradation Under Natural Sunlight" **V. Preethi**, S. Ananth, **P.S. Chandana**, M.G. Krishna & S.L. Subramanyam

#91 "A Structure Property Issue in Organic Solid-Solid Phase Change Materials: 1,3-Bis(stearoyl)urea and 1,1,3,3-Tetrastearoylurea for Potential Solar Applications" **N. Gökse Tosun**, A. Çetin & C. Alkan

#99 "Interfacial Thermal Resistance Between Water and Metals Using Molecular Dynamics Simulation" **M.M. Aksoy** & Y. Bayazitoglu

#100 "Thermal Conductivity of Copper-Single Walled Carbon Nanotube Using Non-Equilibrium Molecular Dynamics" **K. Toprak** & Y. Bayazitoglu

16:30 - 16:45 (GMT+3)

Break

PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA - 516 003. (A.P.)

IRON OXIDE-BASED PHOTOCATALYSTS FOR HYDROGEN PRODUCTION AND DYE DEGRADATION UNDER NATURAL SUNLIGHT

^{1*} Preethi V, ² Ananth S, ^{3*} Sri Chandana P, ¹ Gokul Krishnan M, ⁴ Subramanyam Sarma L

¹ Department of Civil Engineering, Hindustan Institute of Technology and Science, Chennai 603103

² Department of Physics, KPR Institute of Engineering and Technology, Coimbatore 641407

³ Department of Civil Engineering, Annamacharya Institute of Technology and Sciences, Kapdapa, 516003

⁴ Nanoelectrochemistry Laboratory, Department of Chemistry, Yogi Vemana University, Kapapa, 516003

*Corresponding author e-mail: vpreethi@hindustanuniv.ac.in, srichandanaloka@gmail.com

ABSTRACT

Nanomaterials are challenging in simultaneous degradation of pollutants and hydrogen production. This present research work focuses on various visible light active iron oxide nanophotocatalysts for H₂ production and dye degradation. The prepared photocatalysts were characterized for structure (XRD), and morphology (SEM). The efficiency of various iron oxide-based photocatalysts for hydrogen recovery from highly toxic sulphide-containing wastewater is described in this paper. Among the various iron oxide photocatalysts, Yt/Fe₂O₃ shows maximum activity. Effect of operating parameters such as sulphite ion concentration, catalyst dosage, photolytic solution volume, reusability studies were conducted for hydrogen production. The dye degradation studies were conducted for the prepared iron-based catalytic materials using Rhodamine B as the model dye.

Keywords: H₂ production, Yt/Fe₂O₃, Sunlight, dye, Photodegradation.

INTRODUCTION

Industrialization and urbanization pushed us to focus more on research related to environment and energy. Photocatalytic process using direct solar irradiance helps to achieve the generation of renewable energy, H₂ and degradation of pollutants [1]. Research is being done to explore visible light active, stable photocatalyst for maximum hydrogen production and complete mineralization of pollutants. Fe₂O₃ is a promising material for photocatalytic process because of its narrow band gap (2.1 eV), it promises a wide optical absorption in the visible light area. In real-time applications, Fe₂O₃ can increase photocatalytic activity. Incorporation of other metal oxides with Fe₂O₃ is expected to improve the photocatalytic performance several fold. Iron oxide acts as a sinker of photogenerated electrons and hole pairs in it co-catalyst lattice and increases the charge separation and improves the photoactivity [2]. In addition, co-catalyst had maximum active sites than pristine catalyst, thus enhances the hydrogen production as well as degradation [3, 4]. In this study, the iron oxide composites like Al₂O₃/Fe₂O₃, Sm₂O₃/Fe₂O₃ and Y₂O₃/Fe₂O₃ were prepared to recover hydrogen from sulphide wastewater and to destroy the Rhodamine B dye by photocatalysis using natural solar irradiation. Focus was on preparation and characterization of iron oxide based photocatalysts, effect of various factors for achieving maximum hydrogen production and degradation of Rhodamine B dye and its kinetics.

MATERIALS AND METHODS

For synthesis of Pure Iron Oxide, the iron oxide nanoparticles were prepared by combustion process by using natural urea source (Cow urine). For this, 40.4 grams of ferric nitrate (Fe(NO₃)₃·9H₂O) was dissolved in 100 mL natural urea solution and stirred for 30 minutes. Then, this homogeneous solution was heated using a hot plate continuously. The urea-iron nitrate solution turns into a transparent viscous gel after an hour of heating which auto ignited to form voluminous foam. Further heating resulted drying of the nanoparticles due to the combustion process.

By following the above combustion process and natural urea fuel, the Iron Oxide: Aluminum Oxide nanoparticles were synthesized. The ferric nitrate and aluminum nitrate (Al(NO₃)₃·9H₂O) were taken in equal molar ratio and dissolved separately in 50 mL fuel. After making complete dissolvent, both the solutions are transformed into a single container and mixed thoroughly. Then, the homogeneous solution was heated using a hot plate to precede the combustion process.

For the Iron Oxide: Yttrium Oxide synthesis, equal quantities of ferric nitrate and Yttrium nitrate (Y(NO₃)₃·6H₂O) were taken as precursor materials and dissolved separately in 50 ml natural urea. The Iron Oxide: Samarium Oxide synthesis process, the ferric nitrate and Samarium nitrate Sm(NO₃)₃·6H₂O were taken in 1:1 ratio as base materials and dissolved in 50 mL natural urea separately. All the processes have yielded very fine particles which were dried and powdered well for further studies and characterization. XRD and SEM analyses were performed.


Photocatalytic solar hydrogen production: Trapezoidal photocatalytic reactor with working volume of 1L was used to recover hydrogen from simulated sulphide wastewater of 0.2M sulphide ion concentration. The reactor is made up of acrylic material. The activities of various iron oxide (Fe₂O₃) photocatalysts were used to check the photocatalytic activity.

H. S. Saini
T. Srinivas
D. M. Vinod Kumar
K. S. Chandragupta Mauryan *Editors*

Innovations in Electrical and Electronics Engineering

Proceedings of the 4th ICIEEE 2019

Power Quality Enhancement Using DSTATCOM with Reduced Switch-Based Multilevel Converter	103
Sudheer Vinnakoti, Anusha Paliseti and Venkata Reddy Kota	
Dual-Input Multioutput Using Non-Cloistered DC-DC Boost Converter	117
K. Sakthidhasan and K. Mohana Sundaram	
Application of Nonlinear and Optimal Control Techniques to High Gain DC-DC Converter	129
Nibedita Swain	
An Innovative Multi-input Boost Chopper for HEV	145
A. Ranganadh and M. Chiranjeevi	
Performance Evaluation of Transistor Clamped H-Bridge (TCHB)-Based Five-Level Inverter	161
V. Kiranmayee and A. Sharath Kumar	
Enhancement of Power Quality by the Combination of D-STATCOM and UPQC in Grid Connected to Wind Turbine System	173
M. Sumithra and B. C. Sujatha	
Transient Steadiness and Dynamic Response in Transmission Lines by SVC with TID and MPPT Controller	181
Ajay Kumar and T. S. Prasanna	
Three-Level DCMLI-Based Grid-Connected DSTATCOM	195
D. Suresh and R. Chander	
Reducing Number of Switches in Multilevel Inverter Using Diode Clamped and H-Bridge Inverters	203
Karanam Deepak, M. Rama Prasad Reddy, K. Jaya Sree and P. Partha Saradhi Reddy	
Harmonic and Reactive Power Compensation with IRP Controlled DSTATCOM	215
Haresh Nanda and Srinivas Reddy Chalamalla	
Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell	225
M. S. Priyadarshini and M. Sushama	
A New Efficient Z-H Boost Converter for DC Microgrids	235
Ch. Sajan, T. Praveen Kumar and P. Balakishan	
A Hybrid Power Conversion System Using Three-Phase Single-Stage DC-AC Converter	243
Shaik Rafi, Simhadri Lakshmi Sirisha and Ravipati Srikanth	


 PRINCIPAL
 ANNAMACHARYA INSTITUTE OF
 TECHNOLOGY & SCIENCES
 C.K. Dinne (V&M),
 KADAPA - 516 003. (A.P.)

Performance of Static VAR Compensator for Changes in Voltage Due to Sag and Swell



M. S. Priyadarshini and M. Sushama

Abstract The deviations that occur in electrical power supplied by utilities to end users result in voltage decrease termed as sag and increase termed as swell. Due to voltage variations, change is evident for a short duration in voltage, current or frequency. In order to maintain constant voltage to the connected load, compensation devices are used based on flexible AC transmission systems (FACTS) technology. Based on an increase or decrease in voltage, suitable correction action can be taken by power electronic-based devices. The performance of static VAR compensator (SVC), which is a shunt connected FACTS device, is analyzed for voltage sag and swell. The SVC controller scheme, reactive power generated or absorbed, firing pulse generation and modes of SVC operation in MATLAB/Simulink environment are explained.

Keywords Sag · Swell · Thyristor controlled reactor · Thyristor switched capacitor · Static VAR compensator

1 Introduction

Power system is defined as an interconnection between generator and load buses through transmission lines. If any generator is disconnected or taken out for service or maintenance, the lines fed by that generator will be disconnected and must be connected to other generator buses. This results in a change in voltage profile at the buses. Sudden increase in load also affects voltage. To achieve the aim of maintaining constant voltage, proper balance must be maintained between active and reactive power. Electric power supplied by utilities must be free of disturbances and

M. S. Priyadarshini (✉)
J.N.T.U Anantapur, Ananthapuramu, AP, India

M. Sushama
J.N.T.U.H C.E.H, Hyderabad, Telangana, India
e-mail: m73sushama@jntuh.ac.in

© Springer Nature Singapore Pte Ltd. 2020
H. S. Saini et al. (eds.), *Innovations in Electrical and Electronics Engineering*,
Lecture Notes in Electrical Engineering 626,
https://doi.org/10.1007/978-981-15-2256-7_22

Asledy
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA-516 003. (A.P.)

A 64-Bit Implementation of Parallel Prefix Adder with Less Hardware Complexity

J. Bhavyasree¹, A. Maheswara Reddy², S.Saleem³, Y.Aasrita⁴

A.I.T.S, Kadapa,, India

¹bhavya.jvp@gmail.com, ²a.maheswarreddy@gmail.com, ³saleem725336@gmail.com, ⁴aasrithareddy146@gmail.com

Abstract— Parallel prefix adders (PPA) are considered effective combinational circuits for performing the binary addition of two multi-bit numbers. These adders are widely used in arithmetic-logic units, which are parts of modern processors, such as microprocessors, digital signal processors, etc. This paper deals with *Kogge-Stone* adder, which is one of the fastest PPA. When performing the schematic implementation, this adder has a large hardware complexity. Therefore, in this work for reducing its hardware complexity the scheme of modified PPA has been developed. The performance parameters considered for the comparative analysis of the presented adders are: the number of logic gates, *Quine-complexity* and maximum delay obtained. Functionality verification and its synthesis are done using Xilinx 13.2.

Keywords— parallel prefix adder (PPA); *Kogge-Stone* adder; modified parallel prefix adder; the number of logic gates; *Quine-complexity*; maximum delay; prefix tree; schematic nodes

I. Introduction

The hardware implementation of binary addition is a fundamental architectural component in many processors, such as microprocessors, digital signal processors, mobile devices and other hardware applications [Error! Reference source not found.]. In these systems when building arithmetic logic unit (ALU), adders play an important role for performing the basic arithmetic operations, such as addition, subtraction, multiplication, division, etc. [Error! Reference source not found.]. Therefore, the hardware implementation of an effective adder is necessary to increase the performance of ALU and, consequently, the processor itself as a whole. Currently, a parallel prefix adder (PPA) is considered effective adder for performing the addition of two multi-bit numbers. Circuit complexity and the speed of PPA are important parameters at the stage of efficient hardware implementation and, therefore, in recent years various types of PPA with different characteristics of the parameters have been developed while performing the

binary addition. However, for estimation of hardware costs this adder has a great number of logic gates and *Quine-complexity* used in the schematic implementation. Therefore, in the present work for reducing its hardware complexity a modified parallel prefix adder is developed. Then, the comparison of the two presented adders is made by the following parameters: the number of logic gates, *Quine-complexity*, as well as the delay obtained by simulation in *Quartus II* CAD environment based on FPGA Altera *EP2C15AF484C6*. A perspective architecture is proposed for schematic implementation of various PPA. And derivation of the formulas is also described for computing the hardware characteristics which are dependent on the bit width of input operands of the presented adders.

II. Architecture Of The Parallel Prefix Adder

Parallel prefix adder (PPA) is a multi-bit carry-propagate adder which is used for parallel addition of two multi-bit numbers. PPA extend the generated and propagated logic of the carry look-ahead adder to perform addition even faster [4]. As the basic schematic structure of the various PPA, perspective architecture is analyzed, it consists of three stages (Figure 1) [5]: pre-processing stage, prefix computation stage and final processing stage. Let consider each stage in more detail.




Fig. 1. Architecture of the parallel prefix adder

In this paper *Kogge-Stone* adder [3] is investigated, which is one of the known effective fastest PPA. *Kogge-Stone* is widely and efficiently used. Such an adder has minimum delay

At the pre-processing stage, carry-generate g_i and carry-propagate h_i signals are computed for each pair of input

ENGINEERING PHYSICS

As per the Latest Jawaharlal Nehru Technological University, Anantapur

For 1st Semester Civil Students

&
For 1st Semester Mechanical & Food Technology Students

Regulation-2019

With
Objective Types Questions & Answers
2. Solved Problems
Two Marks Questions & Answers
&
Model Question Paper

Dr. T. RAVINDRA REDDY

Hitech
Hitech Publishing Company Pvt. Ltd

ISBN 978-93-89878-02-3



Hitech Publishing Company Pvt. Ltd

Mumbai Village, Telapenturavadi, Chennai - 600 077.

Ph: 044 26496 140 | 142 | 143

Cell: 9566203440 | 9444542032 | 9884975682

skhengg1999@gmail.com | www.assendobookbazaar.com

For online purchase



www.assendobookbazaar.com



Self-Cleaning Surface-Coat of Micro Titanium Dioxide on Hardened Cement Mortar Surfaces Irradiated With Sunlight

N.Avinash Kumar Reddy¹, Dr.P. Sri Chandana²

¹Department of Civil Engineering, Assistant professor, Annamacharya Institute of Technology and Sciences, Kadapa-516003, A.P, India
Email:avinashce104@gmail.com

²Department of Civil Engineering, Professor, Annamacharya Institute of Technology and Sciences, Kadapa-516003, A.P, India
Email:srichandanaloka@gmail.com

Abstract:

One of the common problem happening is the deterioration of building facades due to increase in urban environmental pollution. Self cleaning cementitious materials have come under spotlight as a intelligent building materials and green materials for sustainable environment. Titanium dioxide is a promising photo catalytic material in degradation of many organic pollutants. This paper illustrates the self cleaning performance of titanium dioxide (size range 130 nm) as a coating applied on hardened cement mortar surfaces. The prepared samples i.e micro TiO₂ coated discs are completely immersed in earlier prepared Rhoda mine B solution(3 mg/l) having a wave length peak at 554.8 nm and exposed to sunlight. In the present study Rhoda mine B dye used as a decolourised indicator under sunlight. The research work done by applying different dosages of TiO₂ on hardened surfaces showed good photocatalytic efficiency as well as its potential application in prevention of building facades due to urban environmental pollution.

Keywords: Micro TiO₂, photo catalysis, Rhoda mine B, Sunlight, Environmental application

1. Introduction

The potential of TiO₂ as a catalyst was discovered by Fujishima and Honda in 1972. TiO₂ is a semiconductor, which has three crystal arrangements anatase, rutile, and brookite, of the three research has shown that titanium dioxide in the anatase exhibits the highest photo activity as a environmental depollutant [1].TiO₂ as a photocatalyst seems to be very promising material due to its several advantages like Strong oxidising power, Anti-bacterial properties, Self-cleansing & De-polluting capabilities, non -toxic, chemical stability, high refractive index [2].When the TiO₂ cement surfaces either hydrophilic or hydrophobic are exposed to the irradiation, the catalyst gets photo excited and then the photocatalytic process

begins [3]. TiO₂ is recently found to be an excellent photocatalyst to be used in pavement engineering for reducing vehicle emission pollutants [4]. Pollutants from vehicle exhaust adsorb to the pavement. The TiO₂ coating on the pavement surface activates with the ultraviolet sunlight to break down the pollutants.

Ming Zhi Guo et al.[5] demonstrated an effective way to incorporate nano TiO₂ in photo catalytic cementitious materials by using three TiO₂ sprayed methods .spray A method in which surface layers were sprayed with TiO₂ solution 30 times after mechanical compacting. Spray AB method in



Dr. T. Ravindra Reddy is working as Assistant Professor in the Department of Physics, Anna University, Chennai. He has completed his PG Degree in Physics, Kuvempu, Andhra Pradesh. He completed his Ph.D. Degree in Physics with specialization in Electronics from S.M. University, Tirupati. He completed Ph.D. from Jawaharlal Nehru Technological University, Anantapur, Anantapuramu. He is an young and dynamic teacher. For past 10 years, he has engaged in teaching. Engineering Physics, Environmental Studies, Analog and Digital Electronics and Modern Physics to B.Tech and B.Sc. students.


Dr. T. Ravindra Reddy has published numerous research papers in journals of international and national repute and has presented many papers in international and national conferences. His research areas of interest include, Spectroscopic characterization of natural minerals, Nanoferrites and Solid waste management.



Dr. G. Udaya Bhaskara Reddy is working as Lecturer in the department of Physics, Govt. College for Men (A), Kadapa, Andhra Pradesh. He completed his PG Degree in Physics with specialization in Solid state physics from S.K. University, Anantapur. He completed Ph.D. from Jawaharlal Nehru Technological University, Anantapur, Anantapuramu. He is an young and dynamic teacher. For past 16 years, he has engaged in teaching, Mechanics, Thermodynamics and Optics, Electricity and Magnetism, and Modern Physics to B.Sc. students.

Dr. G. Udaya Bhaskara Reddy has published numerous research papers in journals of international repute and has presented many papers in international and national conferences. His research areas of interest include, Spectroscopic characterization of minerals and Nanoferrites.

Price: Within India: Rs. 500
Outside India: US\$ 25



ISBN: 978-93-87374-21-8

RIP


Research India Publications

Head Office: B-2/84, Ground Floor, CHARYA IN
Rohini Sector-16, Delhi-110089, INDIA
Fax No.: +91-11-27297815
Email: rippublication@vsnl.net C.K. Dinne
Website: www.rippublication.com KADAPA - 516001

ADVANCED

FOR ENGINEERS

Dr. T. Ravindra Reddy
Dr. G. Udayabhaskara Reddy



Research India Publications

14 TRANSISTOR FULL ADDER CIRCUIT USING 4 TRANSISTOR XOR GATE AND TRANSMISSION GATE

S.NARENDRA¹, A.MAHESWARA REDDY², S.SALEEM³, K.M.HANEEF⁴

Abstract:

A rapid growth has been observed in the area of Integrated Circuits (IC) technology. All the ICs are to be designed in an optimized way so that they meet all the requirements of being faster, occupying less area and reduced power consumption. One of the circuits which occupy most of ICs is ALU which is a combination of arithmetic and logic units. Of the arithmetic units two are most important which are the adders and multipliers. This paper describes an efficient method to design full adders which is the basic unit of adders in ALUs.

Key words: ALU, Logic gates, Pass Transistor Logic, Transmission gate.

I. INTRODUCTION

Now days all the systems are built on an upcoming technology called System on Chip (SoC) in which all the components and peripherals have been built on a single chip which increases the complexity of the system. VLSI plays an important role in the development of such ideas.

Initially the electronics started their evolution with the invention of vacuum tubes. But with the help of Vacuum tubes only the movement of electrons was studied. After vacuum tubes transistors and diodes were introduced. But for larger circuits it was difficult to fabricate them in a board as they occupied larger space and consumed more power. Also it was difficult for the designers to identify the wiring and routing faults which occurred in such circuits. This led to the invention of Integrated Circuits by Jack and Kilby in which more number of transistors were integrated on a single chip. Initially 3 to 30 transistors were fabricated in a single chip which is known as Small Scale Integration (SSI). Then about 30 to 300 transistors were developed in a single chip which is known as Medium Scale Integration. All the above events happened in 1940S.

Colloquially Moore's law stated that the number of transistors on a single chip doubles each and every eighteen months. Further developments were LSI (300 to 3000 transistors in a single chip), VLSI (3000 to 30000 transistors in a single chip) and now it the upcoming technology is the ULSI with the fabrication of millions of transistors in a single chip. Also Moore's law found a drawback that in even less than eighteen months the number of transistors in a single chip got doubled.

Also circuits were introduced to do the arithmetic and logic operations. Initially logic operations such as AND, OR, NOT, NAND, NOR, EX-OR were done by LSI ICs. And circuits for doing arithmetic operations such as addition subtraction and multiplication were developed which made the field of signal processing and communication field involving arithmetic operations to glow more.

Half adder was designed to add two one bit numbers and when carry arose, that lead to the development of full adders which added three one bit numbers and produced. Full adder acts as the basic block of all adders which are used to perform multi bit additions.

A. Maheswara Reddy

PRINCIPAL

ANIMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES

C.K. Dinne (V&M),
KADAPA - 516 003. (A.P.)

DESIGN AND ANALYSIS OF CONFIGURABLE MULTIPLIERS USING DUAL QUALITY 4:2 COMPRESSORS

M. Sree vidya¹, P. Anjaneya², O. Homa kesav³, G.K. Rajini⁴

¹PG Scholar, Dept. Of ECE, AITS, Kadapa, AP,

² Research Scholar, school of Electronics Engineering, VIT University, Vellore,

³ Research Scholar, school of Electronics Engineering, VIT University, Vellore,

⁴ Associate Professor, school of Electrical Engineering, VIT University, Vellore,

Abstract:

Multiplier plays a vital role in many applications such as digital image processing, digital signal processing etc...so it is important to design the multiplier with low power consumption and reduced delay. In order to reduce this factor we design the multiplier using four 4:2 compressor and these compressors has a dual quality property and this property is used to switch between the exact and approximate modes. When it operates at approximate mode it reduces the power consumption and area at the cost of low accuracy. During approximate and exact mode each of these compressors has different power consumption and delays but only at approximate mode these compressors has its own level of accuracy. Hence these compressors are used in the design of parallel multiplier. These parallel multipliers provides configurable multiplication whose accuracy may change dynamically during the run time. We implement these compressors in a 32 bit data multiplier which is evaluated in a 45 nm standard CMOS technology.

Index Terms: Power, 4:2 compressors, Accuracy, Approximate computing, Configurable, Delay

1. INTRODUCTION

The most commonly used techniques for the generation of approximate arithmetic circuits are multipliers, compared with the extensive research on truncation, voltage over scaling (VOS) and approximate adders, and explicitly the lack of simplification of logic. Extensive research has been approximate techniques targeting the partial product conducted on approximate address providing generation, we introduce the partial product significant gains in terms of area and power while perforation method for creating approximate exposing small error. Approximate hardware circuits, contrary to software approximations, offer transistors reduction, lower dynamic and leakage power, lower circuit delay, and opportunity for downsizing.

Motivated by the limited research on approximate multipliers. We omit the generation of some partial products, thus reducing the number of partial products that have to be accumulated; we decrease

A Reconfigurable FIR Filter Architecture to Trade off Filter Performance for Dynamic Power Consumption

V.Ruth Havila¹, O.Homa Kesav², P.Anjaneya³, G.K.Rajini⁴

¹PG Scholar, Dept. Of ECE, AITS, Kadapa, AP,

² Research Scholar, school of Electronics Engineering, VIT University, Vellore,

³ Research Scholar, school of Electronics Engineering, VIT University, Vellore,

⁴ Associate Professor, school of Electrical Engineering, VIT University, Vellore,

Abstract:

An architectural approach to design low power reconfigurable finite impulse response (LPRFIR) filter. The LPRFIR is well suited when the filter order is fixed and not changed for particular applications and efficient trade-off between power savings and filter performance can be implemented using the proposed architecture. Generally, FIR filter has large amplitude variations in input data and coefficients. Considering the amplitude of both the filter coefficients and inputs, proposed FIR filter dynamically changes the filter order. Mathematical analysis on power savings and filter performance degradation and its experimental results shows that the proposed approach achieves significant power savings without seriously compromising the filter performance. The power savings is up to 20.5% with minor performance degradation and the area overhead of the proposed scheme is less than 5.3% compared to the conventional approach.

Keywords: Approximate filtering, low power filter, reconfigurable design, high speed filter

1. INTRODUCTION

THE demand for low power digital signal processing (DSP) systems has increased due to explosive growth in mobile computing and portable multimedia applications. One of the most widely used operations performed in DSP is finite impulse response (FIR) filtering. The input-output relationship of the linear time invariant (LTI) FIR filter can be expressed as the following equation:

$$Y(n) = \sum_{k=0}^{N-1} c_k x(n-k) \quad (1)$$

Where N represents the length of FIR filter, c_k the k th coefficient, and $x(n-k)$ the input data at time instant $(n-k)$. In many applications, in order to achieve high spectral containment and/or noise attenuation, FIR filters with fairly large number of taps are necessary. Many

International Conference on New Trends in Engineering & Technology (ICNTET)

7th & 8th September 2018

ICNTET Conference Proceedings

Organised by

**GRT Institute of
Engineering and Technology**
Tiruttani, Thriuvallur, Chennai, Tamilnadu-India.

ISBN : CFP18P34-PRT/978-1-5386-5629-7



Supported by



Handwritten signature
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
KADAPA - 515 003. (A.P.)

134	A Case Study of STBC V-OFDM and SFBC V-OFDM Scheme in Wireless Multipath Channels	45
	<i>Prathyusha Kanhirotan and Basil K Jeemon</i>	
135	A High Capacity Steganography System Using Reversible Texture Synthesis	45
	<i>Devi Prakash E and Mimi Kuriakose</i>	
136	Divergences of Nonnegative Matrix Factorization: A Review	46
	<i>Shaily Malik and Poonam Bansal</i>	
137	Object Detection in Video based on Transfer Learning using Convolution Neural Network	46
	<i>Pranav Kapur and Parteek Bhatia</i>	
138	Estimation and Reduction of Wear for Antilock Braking Systems	46
	<i>Judy K Raju and Dr.Jisha V R</i>	
139	Reference Model for Implementing an E-Commerce Solution for Peruvian SMEs in the Retail Sector	47
	<i>Julio Kauss, Miguel Cadillo, David Mauricio and Carlos Raymundo</i>	
140	Realization and Synthesis of Modified Synchronous and Asynchronous Counters using Reversible Logical Computation with Improved Quantum Cost	47
	<i>Gopi Chand Naguboina, K. Anusudha and T. Sravya</i>	
141	Recommended users Personal Point of Interest And Mined Data Through Social Media	48
	<i>Neha Goliwar, Prof. Mrs. S. S. Bobde and Prof. Mrs. R.A.Patankar</i>	
142	Pooled Steganalysis by Minimizing Statistical Detectability	48
	<i>Jitha V, Gayathri I K and Manju C P</i>	
143	Rice Plant Disease Detection using Color and Texture Features on Different Images.	48
	<i>Amanpreet Kaur and Vijay Bhardwaj</i>	
144	Food Ingredient Analysis using Image Processing and Natural Language Processing	49
	<i>Madhusudhan Sridhar and Meenakshi Saji</i>	
145	Framework for Improved Dynamic Adaptive Question Answering System	49
	<i>A. Chandra Obula Reddy and Dr. K. Madhavi</i>	
146	Performance Evaluation of Current ASR Techniques for Mobile Device	49
	<i>Gulbakshee Dharmale and Vilas Thakare Dipti D. Patil</i>	
147	Blind Maternal-Fetal ECG Separation from Single Channel based on the Time-Scale Image TSI and SVD – ICA Methods	50
	<i>Said Ziani, Atman Jbari and Larbi Bellarbi</i>	
148	The Technological and Social Impact of Quantum Grade Randomness The Decisive Resource in the Emerging Cyber Reality	50
	<i>Gideon Samid</i>	
149	How Profiling Helps to Improve the Performance of a Facial Recognition Application	51
	<i>Elena Roxana BUHUŞ and Lacrimioara Grama</i>	
150	Shielding's Effect of Radiating Components	51
	<i>Kari Zana, Doumit Nicole, Dib Houria, Dagal Dary Yaya, Hall Hanen, Fatima Tayeboun And Rousseau Jean Jacques</i>	
151	Decision Tree Model to Recommend Digital and Alternate Payment Methods for SMEs	51
	<i>Arturo Anci, José Fernández, David Mauricio and Carlos Raymundo</i>	
152	Insider Threat Detection using Machine Learning Techniques	52
	<i>Aderonke Peace Akinduro, Boniface Kayode Ales, Aderonke F. Thompson and Ojokoh A Bolanle</i>	
153	Analysis on Data Storage Methods in Cloud Computing	52
	<i>G. Monika and Dr. J. Kalpana</i>	

Food Ingredient Analysis using Image Processing and Natural Language Processing

Madhusudhan Sridhar and Meenakshi Saji

Abstract: An increasing number of consumers are moving towards the comforts of packaged foods, and due to their fast paced lives, they find it difficult to identify how it impacts their health. Due to this sudden change in food habits, people often find it hard to judge which food item is beneficial to their health and which isn't. This lack of awareness has led to many health problems and illnesses as the people end up following very unbalanced diets. This paper proposes a system which can tell the user if a product he looks at is beneficial to his health or not. The use of Image Processing and Natural Language Processing Techniques helps us get the nutritional details of the chosen product, and hence, enable the consumer to take an informed decision, whether or not to consume it. A Raspberry Pi module is used as the backbone of the proposed solution, which is interfaced with a mobile application through which the user inputs and gets information.

Framework for Improved Dynamic Adaptive Question Answering System

A. Chandra Obula Reddy and Dr. K. Madhavi

Abstract: Today, the World Wide Web is the sole information technology platform on which the entire humanity converges for sharing real time information/data. With the exponential rise in the quantum of information transacted among people, businesses and nations, the Internet has grown as a ubiquitous medium with the required capacity, flexibility and versatility to share information. In general, users rely on Web-based collaborative tools like question answering (QA) portals, blogs/forums, email and instant messaging services for obtaining information in their bid to constitute on line communities. In this context, users naturally turn to novel intelligent information retrieval systems for catering to their dynamic information requirements. In essence, Question-Answering (QA) system falls in this category of new age information retrieval methods. In online QA portals, users tend to ask questions for which answers are expected from other users who may share their knowledge or expertise. However, it is usually seen that multiple users provide answers to a question even if it is raised by only a single user. However, the individual user may find the question too demanding of his time and resource when he/she goes through the ordeal of reading the entire set of answers provided for a given question. Hence, the user must be given the opportunity to focus on qualitatively superior or more relevant answers so that he can save time and efforts. Therefore, a mechanism that ranks the suggested answers and makes the task of the user easy and enriching is the need of the ours. In this paper, we seek to suggest a novel model Dynamic Adaptive Question Answering System for the question answering system so that the users are able to find appropriate answer to a given question and gain better experience.

Performance Evaluation of Current ASR Techniques for Mobile Device

Gulbakshee Dharmale and Vilas Thakare Dipti D. Patil

Abstract: Speech is the least difficult methodology to be considered for Unimodal Biometric System. The precision, be that as it may, depends on the nature of the signal which has a tendency to be traded off because of the conditions under which it is talked or recorded. To actualize a powerful framework the test is in improving the quality and coherence of the boisterous speech signal. Different speech




Dr. T. Ravindra Reddy is working as Assistant Professor in the department of Humanities and Sciences, Annamacharya Institute of Technology and Sciences, Kadapa, Andhra Pradesh. He completed his PG Degree in Physics with specialization in Electronics from S.V. University, Tirupati. He completed Ph.D. from Jawaharal Nehru Technological University, Anantapur, Andhra Pradesh. He is a young and dynamic teacher. For past 10 years, he has engaged in teaching Social values and Ethics, Environmental Studies, Engineering Physics and Modern Physics to B.Tech and degree students. Dr. T. Ravindra Reddy has published numerous research papers in journals of international repute and has presented many papers in international and national conferences. His research areas of interest include: Solid waste management, pollution control, Spectroscopic characterization of minerals and Nanofibres.



Dr. K.N. Shashikumar did his BSc in National Degree College Nandyal, Kurnool (Dt), A.P, India. Dr. Shashi had completed his M.Sc and Ph.D in the year of 2000 and 2006, respectively, Sri Venkateswara University, India. His major research area is Analytical Chemistry. He worked as scientist in Apotex research Pvt. Ltd, Bangalore (2002-2007). Then he joined as research professor at Korea University, Jochiwon, (Changwon) South Korea. At present he is working as Assistant Professor, Department of Humanities and Sciences, Annamacharya Institute of Technology & Sciences, Kadapa, Andhra Pradesh, India. Dr. K.N. Shashi Kumar has published numerous research papers in journals of international repute and has presented many papers in international and national conferences. His research areas of interest include: Solid waste management, pollution control, Electro Analytical Chemistry, Biosorption, Engineering and Nanotechnology.

Price/Vol in India: Rs. 500
Outside India: US\$ 25



Head Office:
Rohini Srinivas
Fax: 0864-2611111
Email: info@ripindia.com
Website: www.ripindia.com

SOCIAL VALUES & ETHICS

SOCIAL VALUES & ETHICS

Dr. T. Ravindra Reddy
Dr. K.N. Shashikumar

Dr. T. Ravindra Reddy
Dr. K.N. Shashikumar



Engineering Mathematics

Volume II

This book has been designed to serve as a text book for the second semester B.E./B.Tech undergraduate students of Jawaharlal Nehru Technological University (JNTU), Ananthapur.

This comprehensive and assimilable text introduces to the students the Mathematical concepts such as Laplace Transforms, Fourier Series, Fourier Transforms, Partial Differential Equations and Z-Transforms. The simple and systematic presentation will enable the students to grasp the concepts easily.

Salient features

- Designed to cover 100% of syllabus of Mathematics II of JNTU, Ananthapur.
- A large number of solved example problems and exercises are interwoven throughout the text to reinforce the concepts.
- Previous year solved question papers included.

Dr. K. V. Nageswara Reddy obtained his M.Sc. and Ph.D. from Sri Venkateswara University, Tirupati, Andhra Pradesh, India. He is currently Assistant Professor in the Department of Mathematics, Annamacharya Institute of Technology & Sciences, Kadapa - 516 126, Andhra Pradesh, India. He has a brilliant academic career all through his teaching Under Graduate and Post Graduate students. His research interest is in Fluid Dynamics. He has published several papers in both National and International Journals.

Dr. B. Rama Bhupal Reddy obtained his M.Sc., M.Phil. and Ph.D. from Sri Venkateswara University, Tirupati, Andhra Pradesh, India. He is currently Associate Professor & Head of the Department of Mathematics, K.S.R.M. College of Engineering, Kadapa - 516 003, Andhra Pradesh, India. He has a brilliant academic career all through teaching experience at Under Graduate and Post Graduate. His research interest includes Computational Fluid Dynamics, Mathematical Modelling and Computer Networking & Cryptography. He has published 70 papers in these areas in both National and International Journals. He has supervised some of the M.Phil and Ph.D students guiding. He is an Editorial Board Member in Research India Publications Journals.



Publishing
for
future

SCITECH PUBLICATIONS (INDIA) PVT. LTD.

www.scitechpublications.com
email: scitechcorp@yahoo.co.in




ANNAMACHARYA INSTITUTE OF TECHNOLOGY & SCIENCES
KADAPA - 516 003. (A)

₹ 415.00

Second Semester - JNTU-Ananthapur

Engineering Mathematics

Volume II



K. V. Nageswara Reddy

B. Rama Bhupal Reddy

Winners Wisdom
SCITECH



Dr. T. Ravindra Reddy is working as Assistant Professor in the department of Humanities and Sciences, Annamacharya Institute of Technology and Sciences, Kadapa, Andhra Pradesh. He completed his PG Degree in Physics with specialization in Electronics from S.V. University, Tirupati. He completed Ph.D from Jawaharal Nehru Technological University, Anantapur, Anantapuramu. He is a young and dynamic teacher started his career as a lecturer in Sai parvathaswara Degree College, Jammalamadugu, Nagarjuna Degree College for women kadapa. Later he joined as assistant professor in K.S.R.M Engineering College, Kadapa. Presently he is working in AITS, Kadapa. For past 10 years, he has engaged in teaching Environmental Studies, Engineering Physics and Modern Physics to B.Tech and degree students. Dr. T. Ravindra Reddy has published numerous research papers in journals of international repute and has presented many papers in international and national conferences. His research areas of interest include, Solid waste management, pollution control, Spectroscopic characterization of minerals and Nanofertilizers.



ISBN: 978-93-86138-26-2



THE HAND BOOK OF ENVIRONMENTAL STUDIES

THE HAND BOOK OF ENVIRONMENTAL STUDIES

For Undergraduate Courses of All Universities

Dr. T. Ravindra Reddy



Dr. T. Ravindra Reddy

2016 International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT 2016)

Chennai, India
3-5 March 2016

Pages 1-770



IEEE Catalog Number: CFP16E71-POD
ISBN: 978-1-4673-9940-1

Annacharya
PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
C.K. Dinne (V&M),
XADAPA - 516 003. (A.P.)

147. Ant Colony Optimization Based Hybrid Active Power Filter for Harmonic Compensation 777-782
148. A Survey on Wind Energy, Load and Price forecasting (Forecasting Methods) 783-788
149. Evaluation of properties for Hybrid Al-SiC-Carbon Fiber Reinforced Metal Matrix Composite for Brake Pads 789-793
150. Design of High Performance and Low Power Multiplier using Modified Booth Encoder 794-798
151. Computer Animation in Studying of Magnetically Levitate Baggage System 799-801
152. Survey of different IDS using honeypot based techniques to mitigate cyber threats 802-807
153. A Novel Multistage Genetic Algorithm Approach for Solving Sudoku Puzzle 808-813
154. Object Addition, Removal and Video Authenticity Testing 814-820
155. Design of C Shape Modified Sierpinski Carpet Fractal Antenna for Wireless Applications 821-824
156. Maharashtra Aurangabad Division of India Computer Oriented Load Flow Study of 21 buses 825-829
157. Soft Switching Sepic Boost Converter with High Voltage Gain 830-834
158. Ramanujan Sum Based Image Kernels for Computer Vision 835-839
159. Image Retrieval Using Saliency Content 840-844
160. Design of a Dual Biometric Authentication System 845-850
161. Performance Measures of Secured Routing protocols(AODV and DSR) 851-857
162. Harmonic Detection Using Kalman Filter 858-863
163. Design of Chaotic Neural Network Based Method for Cryptographic Substitution Box 864-868
164. Design of Experiments for Determination of Key Factors for Graphene Synthesis on Copper Using Amorphous Carbon - a statistical approach 869-872
165. Conventional and Switched Inductor Buck Boost Converter Circuit for Solar Power System: Simulation, Comparison and Results 873-878
166. CRSA Cryptosystem Based Secure Data Mining Model for Business Intelligence Applications 879-884
167. Design and analysis of differential floating inductor for filter 885-888
168. Generalization of Fuzzy Open Sets and Fuzzy Closed Sets via Complement Functions 889-891
169. Design of HERIC Configuration Based Grid Connected Single Phase Transformer less Photovoltaic Inverter 892-896
170. Hybrid Medical Image Compression Method Using SPIHT Algorithm and Haar Wavelet Transform 897-900
171. Ad hoc Network Routing Protocols on Random Waypoint Model 901-905
172. Bilingual Keyword Indexing and Searching framework 906-911
173. Speaker Identification and Spoken word Recognition In Noisy Background using Artificial Neural Networks 912-917
174. An efficient Denoising method based on SURE-LET and Wavelet Transform 918-923
175. Hybrid Machine Translation For English to Marathi: A Research Evaluation In Machine Translation (Hybrid Translator) 924-931

A Survey on Wind Energy, Load and Price forecasting

(Forecasting Methods)

Y.Nagaraja

PhD Scholar

EEE Dept, JNTU Anantapur
Annamacharya Institute of
Technology, Kadapa
India

T.Devaraju

Dept of EEE

Sree Vidyanikethan Engg. College
India

M.Vijay Kumar

Dept of EEE, JNTU
Anantapur
India

Sreedhar Madichetty

Dept of EEE, BITS Pilani
India

Abstract— The wind energy has an upward trend to continue over several decades, with the improvement of its turbine technology and reduction of energy production costs. Due to its unpredictable wind behavior and weather patterns, it may pose many problems including grid voltage balancing, synchronization, capital cost expenditure etc. So, there would be a definite need forecast the wind energy, its load and price. The use of these forecasting techniques may cause reduce the capital cost, installation and maintenance etc., Hence, in this article an attempt has been made to review the forecasting techniques for wind energy, load and price also it tried to explore the best possible methods for forecast the behavior/pattern.

Keywords— wind power; load forecasting; price forecasting; wind energy forecasting

I. INTRODUCTION (HEADING 1)

Load forecasting is defined as an estimation, or a prediction of electrical energy will be needed by the energy consumers and other utility systems in nearby future. In any electrical power system load forecasting is a control and integral process in the planning and operation of electric utilities [6]. It plays a key role in reduction of generating cost in generating stations. For knowing the future load demand, one should follow the prediction/forecasting techniques. It is preplanned process about sharing of loads for the coming years. It is helpful in avoiding the shortages/outages in the utility systems and saves price for generating companies as well as utility systems.

Electricity price forecasting (EPF) is defined as the process of using mathematical models to determine what electricity prices will be in future years based on the consumption of electricity [3]. After load forecasting, price could be decided by performing the price forecasting. Based on the time horizons both load and price forecasting are classified into 3 types they are short term (one hour to one week), medium term (one month to a year) and long term (over one year).

The time factors, weather data and consumer classes would be considered for short term forecasting. Time factors includes the time of year, the day of the week and an hour of

the day. There are important differences in load consumption between weekdays and weekends. In weekdays, the consumption of load would be high and where as in weekends the load consumption would be less comparatively. Holidays are more difficult to forecast than the non-holidays because of their relative infrequent occurrence. Also, weather conditions plays a vital role in load forecasting. Temperature and humidity are most commonly used load effectors [7]. For this factor some organizations found, THI (Temperature-Humidity Index) and WCI (Wind Chill Index) are broadly used. THI is used for the measurement of summer heat and WCI is used for the measurement of cold stress in winter.

II. LOAD FORECASTING METHODS

A. Short Term Forecasting Method

Short term forecasting techniques ranging from very simple extrapolation to high complex time series techniques has been developed in [10], by employing the combination of techniques that gives aggregate annual forecast.

(i). Similar Day Approach

This method is based on searching historical data for days within one, two or three years with some characteristics to the forecast day [10-11]. In that, it includes the weather details, day of the week and then the load of the similar day is considered. With this approach, the forecast could be easy for in any practical power systems and final forecasting error is comparatively low. The main disadvantage of this method is, if any weather conditions are affected in the previous similar day then it miss matches the present day weather conditions. The flow chart of this approach is shown in fig.1(a).

(ii). Time Series Method

Time series method uses qualitative forecasting techniques, which are based on analysis of historical data, and can be used to forecast future data points. Time series methods make forecasts based on historical patterns. It uses time as independent variable to produce demand and measurements are taken at successive periods. These measurements may be taken

Carry Select Adder Using Common Boolean Logic

J. Bhavyasree¹, K. Pravallika², O.Homakesav³, S.Saleem⁴

UG Student, ECE, AITS, Kadapa, India¹, UG Student, ECE, AITS, Kadapa, India²

Assistant Professor, ECE, AITS, Kadapa, India³, Assistant Professor, ECE, AITS, Kadapa, India⁴

Abstract: In electronics, adder is a digital circuit that performs addition of numbers. To perform fast arithmetic operations, carry select adder (CSLA) is one of the fastest adders used in many data- processing processors. The structure of CSLA is such that there is further scope of reducing the area, delay and power consumption. Simple and efficient gate – level modification is used in order to reduce the area, delay and power of CSLA. Based on the modifications, 8-bit, 16-bit, 32-bit and 64-bit architectures of CSLA are designed and compared. In this paper, conventional CSLA is compared with Modified Carry select adder (MCSLA), Regular Square Root CSLA (SQRT CSLA), Modified SQRT CSLA and Proposed SQRT CSLA in terms of area, delay and power consumption. The result analysis shows that the proposed structure is better than the conventional CSLA.

Keywords: Adder, Carry select Adder (CSLA), Modified CSLA (MCSLA), Square Root CSLA (SQRT CSLA), Data processing processors.

I.INTRODUCTION

In many computers and other kind of processors, adders are not only used in the arithmetic logic unit, but also in other parts of the processor, where they are used to calculate addresses, table indices and similar applications. Some other applications of adders are in Multiply – Accumulate (MAC) structures. Adders are also used in multipliers, in high speed integrated circuits and in digital signal processing to execute various algorithms like FFT, IIR and FIR. Now a days, design of low power, area efficient high speed data path logic systems are the most substantial areas in the research of VLSI design.

On the basis of requirements such as area, delay and power consumption some of the complex adders are Ripple Carry Adder, Carry look-Ahead Adder and Carry Select Adder. Ripple Carry Adder (RCA) shows the compact design but their computation time is longer. Time critical applications make use of Carry Look-Ahead Adder (CLA) to derive fast results but it leads to increase in area. But the carry select adder provides a compromise between the small areas but longer delay of RCA and large area with small delay of Carry Look Ahead adder.[1]

This paper presents a comparative analysis of various adders and proposed design of SQRT CSLA by sharing Common Boolean Logic and modified CSLA using Binary to Excess-1 Converter (BEC). Both these adders show less area, delay and power than other adders.

This paper is organized as follows: In section II literature survey is shown, section III deals with modified CSLA, section IV explains Regular SQRT CSLA and Modified SQRT CSLA and section V explains about Proposed SQRT CSLA using common Boolean logic. Results are analysed in section VI and section VII concludes. Section VIII tells about future

scope.

II. LITERATURE SURVEY

Ripple Carry Adder consists of cascaded “N” single bit full adders. Output carry of previous adder becomes the input carry of next full adder. Therefore, the carry of this adder traverses longest path called worst case delay path through N stages. Fig. 1 shows the block diagram of ripple carry adder. Now as the value of N increases, delay of adder will also increase in a linear way. Therefore, RCA has the lowest speed amongst all the adders because of large propagation delay but it occupies the least area. Now CSLA provides a way to get around this linear dependency is to anticipate all possible values of input carry i.e. 0 and 1 and evaluate the result in advance. Once the original value of carry is known, result can be selected using the multiplexer stage. Therefore the conventional CSLA makes use of Dual RCA’s to generate the partial sum and carry by considering input carry $C_{in}=0$ and $C_{in}=1$, then the final sum and carry are selected by multiplexers. Fig. 2 shows the 16-bit Conventional CSLA.

The conventional CSLA is area consuming due to the use of dual RCA’s.




Fig. 1 4-bit Ripple Carry Adder

The basic idea of this work is to use Binary to Excess-1 converter (BEC) instead of RCA with $C_{in}=1$ in conventional CSLA in order to reduce the area and power. [2][3] BEC uses less number of logic gates than

Adder Enhancement Techniques

S. Munni¹ S. Hameeda Noor² P. Anjaneya³ S. Saleem⁴

U.G.Student, ECE, AITS, Kadapa, India¹ U.G.Student, ECE, AITS, Kadapa, India²

Assistant Professor, ECE, AITS, Kadapa, India³ Assistant Professor, ECE, AITS, kadapa, India⁴

Abstract: Adders are one of the most widely digital components in the digital integrated circuit design and are the necessary part of digital signal processing (DSP) applications. With the advances in technology, researchers have tried and are trying to design adders which offer either high speed, low power consumption, less area or the combination of them. The addition of the two bits is very based on the various speed-up schemes for binary addition, a comprehensive overview and qualitative evaluation of the different existing basic adder architectures are given in this paper. In addition, their comparison is performed in thesis for the performance analysis. We will synthesize the adders –Ripple Carry adder, Carry skip adder, Carry select adder and Carry look-ahead Adder, in ISE XILINX 13.2 by using HDL - Verilog and will simulate them in same tool. We will compare above mentioned adders in terms of delay, Slices Used and Look up tables used by the adders architecture.

Key words : Ripple Carry Adder, Carry Look Ahead adder, Carry Save adder

INTRODUCTION

In many computers and other kind of processors, adders are not only used in the arithmetic logic unit, but also in other parts of the processor, where they are used to calculate addresses, table indices and similar applications. Some other applications of adders are in Multiply – Accumulate (MAC) structures. Adders are also used in multipliers, in high speed integrated circuits and in digital signal processing to execute various algorithms like FFT, IIR and FIR. Now a days, design of low power, area efficient high speed data path logic systems are the most substantial areas in the research of VLSI design.

On the basis of requirements such as area, delay and power consumption some of the complex adders are Ripple Carry Adder, Carry look-Ahead Adder and Carry Select Adder. Ripple Carry Adder (RCA) shows the compact design but their computation time is longer. Time critical applications make use of Carry Look-Ahead Adder (CLA) to derive fast results but it leads to increase in area. But the carry select adder provides a compromise between the small areas but longer delay of RCA and large area with small delay of Carry Look Ahead adder.[1]

This paper presents a comparative analysis of various adders and comparison in terms of area and

delay

RIPPLE CARRY ADDER

A ripple adder that adds two N-bit operands requires N full adders. The speed varies linearly with the word length. The RCA implements the conventional way of adding two numbers. In this architecture the operands are added bitwise from the least significant bits (LSBs) to the most significant (MSBs), adding at each stage the carry from the previous stage.




Fig : 4-bit Ripple Carry Adder

Thus the carry out from the FA at stage i goes into the FA at stage $(i + 1)$, and in this manner carry ripples from LSB to MSB (hence the name of ripple carry adder). The layout of a RCA is simple, which allows fast design time. However, RCA is relatively slow, since each full adder must wait for the carry bit which is coming from the